

GRETCHEN WHITMER
GOVERNOR

GARY MCDOWELL DIRECTOR

Notice of Drainage Board Meeting For Determination of Necessity

CURTICE INTERCOUNTY DRAIN (Gladwin and Midland Counties)

DATE: Wednesday, June 29, 2022

TIME: 10:00 a.m.

LOCATION: Beaverton High School Gymnasium

3090 Crockett Road Beaverton, MI 48612

The Curtice Intercounty Drain Drainage Board will meet at the above date, time, and location to hear all interested persons, receive evidence and determine whether the maintenance and improvement, as set forth in the petition dated July 27, 2020, is necessary for the public health, convenience, or welfare pursuant to Chapter 8 of Public Act 40 of 1956, as amended.

Proceedings conducted at this public meeting are subject to the provisions of the Michigan Open Meetings Act. Public comment will be received at the meeting from anyone owning lands liable to an assessment, or whose lands will be crossed by the drain, or any municipality affected. Written comments may be submitted prior to the meeting, or additional information may be obtained from the following offices:

Terry L. Walters
Gladwin County Drain Commissioner
555 West Cedar Avenue
Gladwin, MI 48624
Telephone: (989) 312-3382

Website: https://gladwincountymi.gov/departments/drain-commission/ Joseph Sova
Midland County Drain Commissioner
220 W. Ellsworth Street
Midland, MI 48640
Telephone: (989) 832-6770
Website: https://co.midland.mi.us/

DrainCommissioner.aspx

Persons with disabilities needing accommodations for effective participation in the meeting should contact the Drain Commissioner of their County at the number listed above or through the Michigan Relay Center at 7-1-1 (TDD) at least 24 hours in advance of the meeting to request mobility, visual, hearing, or other assistance.

Anyone aggrieved by the decision of the Intercounty Drain Drainage Board may seek judicial review pursuant to MCL 280.122a.

Dated: June 2, 2022

Michael Gregg, Deputy
For Gary McDowell, Director
Michigan Department of Agriculture
and Rural Development

Sankel R. Brey